43RD ANNUAL SASKATCHEWAN CHRISTMAS MAMMAL COUNT - 2015



Mule deer. Photo Credit: Randy McCulloch

Alan R. Smith, Box 154, Avonlea, SK, S0H 0C0 alanrandi@sasktel.net

Eighty-five Christmas Mammal Counts were conducted this winter – up four from last year. The 2,458 mammals seen or heard were up 27 per cent over last year's 26-year low of 1,937. The slightly greater coverage notwithstanding, most of the increase was a result of an increase in the numbers of two ungulates: White-tailed deer and pronghorn. White-tailed deer



Moose. Photo Credit: Randy McCulloch

numbers rose from 598 last year to 758 this winter, while pronghorn rose from 66 to 223. Interestingly, mule deer numbers stayed much the same (486 vs 490).

Squirrels did well again this year. The 134 eastern fox squirrels on the Regina count smashed the previous record of 61 set in the Queen City only last winter. Its expansion also continues with the first CMC record from Yorkton. Greenwater set a new high for northern flying squirrels at five, the previous high was four at Togo in 2001, 2002, 2011, 2012 2013, and 2014.

Canids did well too. A pack of four wolves north of Kindersley on December 14 was well south of their usual range in the boreal forest, while a count of 35 coyotes on the Morse count set a new high for the species.

With 11 species seen or heard, Odessa edged out perennial winner and runner-up Indian Head with 10. No new species were added this winter, so the all-time provincial total remains at 51 species seen or heard (plus three species found dead and two others recorded only on the basis of tracks).

For information on participants, weather, coverage and location of CMCs, see the CBC summary in this issue.

Explanation of entries in Table 1

The number of mammals actually seen or heard on count day is treated separately from those recorded by other means, or those recorded during count period (December 14 to January 5) but not on count day. Numbers of individuals seen or heard are given in Table 1 and are tallied in the first line of totals at the bottom of the table. The number of species they represent is given in the second line

For species only detected by tracks or by other means, or that are seen or heard only in the count period but not on count day, no numbers of individuals is given in Table 1. Species detected only by tracks are indicated by 't' in the table; those detected only by other means – dead animals 'm', more clearly identifiable chewing or digging 'd', dens or lodges 'L' (including muskrat push-ups) and by smell 's.' Species detected by any means during the count period, but not on count day are indicated by 'c' in the table. These additional species are tallied in lines three, four and five at the bottom of the table. If a mammal is reported as member of a species group (i.e. mouse species, deer species), it is counted as a species only if no other species in this group has been definitely recorded. The columns at the end of the table give totals for each species.

Table 1.1. 43rd Saskatchewan Christmas Mammal Count - 2015.

| | | | | | | ž | | | | ; | ĆĒ, | , | ڻ ن | | | | | | | | | | |
|-------------------------------------|----------------------------|-------------------------|-------------------------|------------------------|----------------------------|----------------------------------|---------------------------|---------------------------|----------------------|--------------------------------|----------------------------------|--------------------------------|----------------------------------|--------------------------|------------------------|--------------------------|------------------------------|-------------------------------|------------------------------------|-------------------------|---------------------------|----------------------|------------------------|
| | LL, 15 | 15 | | 15 | .5, | BORDEN -RADISSON, 16 DEC 2015 | F.a | W, | | CHATSWORTH S.D., 4 JAN 2016 | CHRISTOPHER LAKE, 23 DEC 2015 | CHURCHBRIDGE B, 31 DEC 2015 | CLARK'S CROSSING, 19 DEC 2015 | Ŧ,75 | 15 | Ž.a | CROOKED LAKE, 21 DEC 2015 | CROOKED RIVER, 29 DEC 2015 | CYPRESS HILLS P.P., 30 DEC 2015 | 15 | H, | | ,, |
| | ARCHERWILL, 30 DEC 2015 | AVONLEA, 28 DEC 2015 | BALGONIE, 3 JAN 2016 | BIGGAR, 27 DEC 2015 | BIRCH HILLS, 2 JAN 2016 | DEN -R EC 20 | BRIERCREST, 2 JAN 2016 | BROADVIEW, 24 DEC 2015 | CATER, 1 JAN 2016 | TSW0 N 2016 | STOP! EC 20 | RCHBI EC 20 | 3K'S C EC 20 | CORONACH, 20 DEC 2015 | CRAVEN, 19 DEC 2015 | CREIGHTON, 2 JAN 2016 | OKED EC 20 | OKED EC 20 | RESS H EC 20 | DENHOLM, 25 DEC 2015 | DORINTOSH, 23 DEC 2015 | DUVAL, 3 JAN 2016 | EASTEND, 4 JAN 2016 |
| SPECIES | ARC 30 D | AVO 28 D | BAL(3 JA | BIGG 27 D | BIRC 2 JA | BORI 16 D | BRIE 2 JA | BRO 24 D | CATE 1 JA | CHA 4 JA | CHR 23 D | CHU 31 D | CLA! 19 D | COR 20 D | CRA 19 D | CREI 2 JAI | CRO 21 D | CRO 29 D | CYPF 30 D | DEN 25 D | DOR 23 D | DUV 3 JA | EAST 4 JA |
| Shrew species | | | | | t | | | | | | | | | | | t | | | | | | | |
| Nuttall's Cottontail | | | | | | | | | | | | | | | | | t | | t | | | t | 2 |
| Snowshoe Hare | | | | t | t | | | t | t | | t | t | t | | t | t | | t | | 1 | | t | |
| White-tailed Jack Rabbit | С | | 5 | t | | | 1 | t | | | | | t | t | t | | | | | С | | t | |
| Eastern Grey Squirrel | | | 3 | | | | | | | | | | | | 7 | | | | | | | | |
| Eastern Fox Squirrel | | 5 | 17 | | | | | 5 | | | | | | | 8 | | | | | | | 3 | |
| American Red Squirrel | 3 | | 1 | | 2 | 2 | | 1 | 4 | 4 | 2 | 3 | | | 6 | 7 | 1 | | 4 | | 1 | | |
| Northern Flying-Squirrel | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Northern Pocket Gopher | | | | | | | | | | | | | | | | | | | | | | | |
| American Beaver | | | | | L | | | L | L | L | | | | | | | L | | | | L | L | |
| Deer Mouse | | | | | | | | t | | | | | | | | | | | | | | | |
| Muskrat | | | | L | L | | | L | L | | | | | | | | L | | | L | | L | |
| Gapper's Red-Backed Vole | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Meadow Vole | | | | | | | | | | | 2 | | | | | | | | | | | | |
| Vole species | | | | t | | | | t | | | | | | | | t | | t | | | t | t | |
| House Mouse | | | | | | | | | | | | | | | | | | | | | | | |
| Mouse species | | | t | | t | | | | | | | | t | | t | | | t | | | t | t | |
| American Porcupine | | | t | | | | | | | | | | | | | | | | | | | | С |
| Coyote | С | 1 | 1 | 1 | 1 | | 1 | 1 | | | с | t | 1 | 2 | 1 | t | | | | 5 | t | 2 | 2 |
| Gray Wolf | | - | - | - | | | | - | | | - | - | | _ | | t | | | | | - | t | |
| Red Fox | С | | 1 | | | | | t | t | | | | | | | С | | t | | С | | t | |
| Raccoon | С | | • | | | | | | | | | | | t | | | | | | | | | |
| American Marten | С | | | | | | | | | | | | | • | | | | | | | | | |
| Fisher | | | | | | | | | | | | | | | | t | | | | | | | |
| Ermine | | | | | t | 1 | | t | | | | | | | | t | | | | | | | |
| Long-tailed Weasel | | | | | | | | | | | | | | t | 1 | t | | | | С | | t | |
| Weasel species | С | | | | | | | | | | | t | | • | • | | | | | | | | |
| American Mink | 1 | | | | t | | | t | t | | | | | | 1 | | | | | | | | 1 |
| American Badger | • | | | | | | | | | | | | | | • | | | | | | | | |
| Striped Skunk | | | | | | | | t | | | | | | | | | | | | | | s | |
| River Otter | | | | | | | | , | | | | | | | | t | | | | | | 3 | |
| Mountain Lion | | | | | | | | | | | | | | | | · | | | t | | | | |
| Canada Lynx | | | | | | | | | | | | | | | | t | | | | | | | |
| Mule Deer | | | 7 | 20 | | | | | t | | | | | | 12 | | | | | С | | | 57 |
| White-tailed Deer | 5 | 9 | 5 | t | t | | | t | t | 10 | t | t | 9 | 38 | 13 | | 3 | | 9 | 4 | 123 | 4 | 33 |
| Deer species | , J | 9 | , | · | · | | | · | · | 10 | ı. | ι | t | 30 | 13 | | ٦ | | 9 | 4 | 123 | t | 33 |
| Moose | 1 | | | | | | | | 2 | 8 | | | | | | | | | | 2 | | · | 1 |
| Elk | t | | t | t | | | | t | 2 | ٥ | | | | | | t | | | | | | | 1 |
| Pronghorn | · | | | | | | | | | | | | | | | | | | | | | | |
| American Bison | | | | | | | | | | | | | | | | | | | | | | | |
| | 10 | 15 | 40 | 21 | 2 | 2 | 2 | 7 | 6 | 22 | 4 | 2 | 10 | 40 | 40 | 7 | 4 | 0 | 12 | 1.4 | 124 | | 06 |
| TOTALS SEEN/HEARD ON COUNT DAY | 10 | 15 | 40 | 21 | 3 | 3 | 2 | 7 | 6 | 22 | 4 | 3 | 10 | 40 | 49 | 7 | 4 | 0 | 13 | 14 | 124 | 9 | 96 |
| TOTAL SPECIES SEEN/HEARD | 4 | 3 | 8 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 2 | 1 | 2 | 2 | 8 | 1 | 2 | 0 | 2 | 6 | 2 | 3 | 6 |
| TOTAL SPECIES RECORDED BY TRACKS | 1 | 0 | 3 | 5 | 6 | 0 | 0 | 10 | 5 | 0 | 2 | 4 | 4 | 3 | 3 | 11 | 1 | 4 | 2 | 0 | 3 | 9 | 0 |
| TOTAL SPECIES OTHERWISE RECORDED | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 3 | 0 |
| SPECIES RECORDED COUNT PERIOD | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 0 | 0 | 1 |
| TOTAL SPECIES | 11 | 3 | 11 | 8 | 10 | 2 | 2 | 15 | 9 | 4 | 5 | 5 | 5 | 5 | 11 | 13 | 5 | 4 | 4 | 11 | 5 | 13 | 7 |

Table 1.2. 43rd Saskatchewan Christmas Mammal Count - 2015.

| | EBENEZER A, 30 DEC 2015 | EBENEZER B, 31 DEC 2015 | ENDEAVOUR, 21 DEC 2015 | ESTEVAN, 1 JAN 2016 | ESTUARY NORTH, 4 JAN 2016 | FENTON, 5 JAN 2016 | FLORAL, 15 DEC 2015 | FORT QU'APPELLE, 18 DEC 2015 | GARDINER DAM, 21 DEC 2015 | GOOD SPIRIT LAKE, 31 DEC 2015 | GRASSLANDS N.P., 17 DEC 2015 | GREENWATER, 3 JAN 2016 | GRENFELL, 29 DEC 2015 | HARRIS, 14 DEC 2015 | HAZLET, 26 DEC 2015 | INDIAN HEAD, 28 DEC 2015 | KENASTON, 14 DEC 2015 | KENOSEE LAKE, 22 DEC 2015 | KETCHEN, 26 DEC 2015 | KINDERSLEY NORTH, 26 DEC | KINLOCH, 30 DEC 2015 | KUTAWAGAN LAKE, 27 DEC 2015 | KYLE, 17 DEC 2015 |
|---------------------------------------|----------------------------|----------------------------|---------------------------|------------------------|------------------------------|-----------------------|------------------------|---------------------------------|------------------------------|----------------------------------|---------------------------------|---------------------------|--------------------------|------------------------|------------------------|-----------------------------|--------------------------|------------------------------|-------------------------|-----------------------------|-------------------------|--------------------------------|----------------------|
| | ENE DE(| ENE DE(| IDE/ | TEV, | TUA | NTO | ORA DE(| DE(| ARDI DE(| DE(| ASS DE(| REEN | ENF | ARRI DE(| AZLE DE(| DIAI DE(| NAS DE(| NO | TCH E(| NDE DE(| NLO 15 | JTAV DE(| 'LE, DE(|
| SPECIES | 30 30 | 31 31 | EN 21 | ES 1 | ES 4 | FE 5 | 표 15 | 요 | 21 | 35 | 9.7 | 3 9 | 55 | ¥ 4 | H/ 26 | Z8 28 | 7 K | XE 22 | KE 26 | KI 26 | ≥ 20 | K1 | ₹ |
| Shrew species | | | | | | | | | | | | | | | | | | | | | | | |
| Nuttall's Cottontail | | | | | 2 | | | | t | | | | | | 1 | | | | | | | | t |
| Snowshoe Hare | t | | | | | | t | 1 | 4 | 1 | | t | t | 2 | | 1 | | t | t | | 2 | | |
| White-tailed Jack Rabbit | | | | t | | | t | | t | t | 1 | | t | t | t | | 1 | | | t | | t | t |
| Eastern Grey Squirrel | | | | | | | | | | | | | | | | 4 | | | | | | | |
| Eastern Fox Squirrel | t | | | 3 | | | | С | | | | | 3 | | | 10 | | | | | | | |
| American Red Squirrel | 2 | | 1 | | | | | 9 | t | 3 | | 4 | 1 | | | | | 4 | 2 | | t | | |
| Northern Flying-Squirrel | | | | | | | | | | С | | 5 | | | | | | | | | | | |
| Northern Pocket Gopher | | | | | | | | | | | | | | | | | | d | | | | | |
| American Beaver | L | | | | | | | 1 | | L | | | L | | | | | L | L | | L | | |
| Deer Mouse | | | | t | | | | С | | | | | t | t | | | | | | | | | |
| Muskrat | L | | | L | | L | L | 1 | L | L | | | L | L | | 1 | | L | | | L | | L |
| Gapper's Red-Backed Vole | | | | | | | | | | | | | | | | | | | | | | | |
| Meadow Vole | | | | | | | | | | | | | | | | | | | | | | | |
| Vole species | t | | | t | | | | | | | | | t | | | | | t | | | | | t |
| House Mouse | | | | | | | | | | | | | | | | | | | | | | | |
| Mouse species | | | | | | | | | t | t | | | | | | | | | | | | | t |
| American Porcupine | | 1 | t | | 2 | | | | 1 | t | 1 | t | | 1 | | | t | | | | t | | |
| Coyote | 1 | 2 | t | 1 | 1 | t | t | с | 8 | 1 | 3 | 1 | 2 | 6 | 1 | 9 | t | 2 | t | 1 | t | t | 1 |
| Gray Wolf | | | | | | | | | | | | t | | | | | | | | С | t | | |
| Red Fox | | | | | | | | с | | | | t | t | | t | 5 | 1 | t | 1 | | t | | |
| Raccoon | | | | | | | | | | t | | t | | | | | | | | | | | |
| American Marten | | | | | | | | | | | | | | | | | | | | | | | |
| Fisher | | | t | | | | | | | | | | | | | | | | | | | | |
| Ermine | | | | | | | | | | | | | | | | | | | 1 | | t | t | |
| Long-tailed Weasel | | | | | | | | | | | | | | | | 1 | | | | | | | |
| Weasel species | | | t | | | | | | | t | | | | t | | | | | | | | | |
| American Mink | | | | t | | | | | | t | | | | | | | | | | | | | |
| American Badger | | | | | | | | | | | | | | | d | | t | | | | | | |
| Striped Skunk | | | | | | | s | | | | | | | s | | | t | s | | | | | |
| River Otter | | | | | | | | | | | | | | | | | | | | | | | |
| Mountain Lion | | | | | | | | | | | | | | | | | | | | | | | |
| Canada Lynx | | | | | | | | | | | | t | | | | | | | | | С | | |
| Mule Deer | | | | | | | 4 | 2 | 17 | | 33 | | | 52 | 17 | 27 | t | | | | | 4 | 8 |
| White-tailed Deer | 4 | 7 | 6 | 2 | 29 | | | 7 | 75 | 13 | 11 | 2 | 4 | 20 | 8 | 18 | t | 4 | 2 | | 7 | 14 | 2 |
| Deer species | | | | | | t | | | | | | | | | | | | | | | | t | |
| Moose | | | С | | 5 | | | | | 3 | | t | 1 | | | 1 | t | | | С | | | t |
| Elk | | | С | | | | | | | | | t | | | | | | t | t | | 8 | | |
| Pronghorn | | | | | | | | | | | 60 | | | | 105 | | | | | С | | | 22 |
| American Bison | | | | | | | | | | | 1 | | | | | | | | | | | | |
| TOTALS SEEN/HEARD ON COUNT DAY | 7 | 10 | 7 | 6 | 39 | 0 | 4 | 21 | 105 | 21 | 110 | 12 | 11 | 81 | 132 | 77 | 2 | 10 | 6 | 1 | 17 | 18 | 33 |
| TOTAL SPECIES SEEN/HEARD | 3 | 3 | 2 | 3 | 5 | 0 | 1 | 6 | 5 | 5 | 7 | 4 | 5 | 5 | 5 | 10 | 2 | 3 | 4 | 1 | 3 | 2 | 4 |
| TOTAL SPECIES RECORDED BY TRACKS | 3 | 0 | 4 | 4 | 0 | 2 | 3 | 0 | 4 | 6 | 0 | 8 | 5 | 3 | 2 | 0 | 7 | 4 | 3 | 1 | 6 | 4 | 5 |
| TOTAL SPECIES OTHERWISE RECORDED | 2 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 1 | 2 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | 4 | 1 | 0 | 2 | 0 | 1 |
| SPECIES RECORDED COUNT PERIOD | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 0 |
| TOTAL SPECIES COUNT PERIOD AND DAY | 8 | 3 | 8 | 8 | 5 | 3 | 6 | 10 | 10 | 14 | 7 | 12 | 12 | 10 | 8 | 10 | 9 | 11 | 8 | 5 | 12 | 5 | 9 |

Table 1.3. 43rd Saskatchewan Christmas Mammal Count - 2015.

| CDT CITY | LAST MTN. LAKE NWA, 29 DEC 2015 | LEADER NORTH, 29 DEC 2015 | LOVE-TORCH RIVER, 27 DEC 2015 | LUSELAND, 26 DEC 2015 | MEADOW LAKE, 26 DEC 2015 | MOOSE JAW, 16 DEC 2015 | MOOSE MTN. P.P., 4 JAN 2016 | MORSE, 23 DEC 2015 | NIPAWIN, 23 DEC 2015 | NISBET FOREST NW., 26 DEC 2015 | NISBET FOREST W., 1 JAN 2016 | ODESSA, 28 DEC 2015 | PIERCE LAKE, 30 DEC 2015 | PIKE LAKE, 2 JAN 2016 | PONTEIX, 28 DEC 2015 | PRINCE ALBERT, 20 DEC 2015 | QU'APPELLE, 30 DEC 2015 | QU'APPELLE DAM, 20 DEC 2015 | RAYMORE, 25 DEC 2015 | REGINA, 27 DEC 2015 | ROSCOMMON S.D., 28 DEC 2015 | ROULEAU, 28 DEC 2015 | ROUND LAKE (Q.V.), 14 DEC 2015 |
|---------------------------------------|------------------------------------|------------------------------|----------------------------------|--------------------------|-----------------------------|---------------------------|--------------------------------|-----------------------|-------------------------|-----------------------------------|---------------------------------|------------------------|-----------------------------|--------------------------|-------------------------|-------------------------------|----------------------------|--------------------------------|-------------------------|------------------------|--------------------------------|-------------------------|-----------------------------------|
| SPECIES | 75 75 | LE 25 | | L1 26 | Z Z | Σ÷ | Σ4 | ≥% | Z % | Z % | Z- | 50 | 3(B) | PI 2 | P(| | | 20 | 3.52 | R 2.7 | % % | R(| 2 Z |
| Shrew species | | | С | | | | | | | | | | | | | t | 1 | | | | | | |
| Nuttall's Cottontail | | 1 | | | | | | | | | | | | | | | t | 3 | | | | | |
| Snowshoe Hare | | | t | | | | | | | | | | t | t | | t | t | | t | t | t | | t |
| White-tailed Jack Rabbit | 2 | 2 | | 1 | | | | 3 | | | | 2 | | t | t | | 2 | | | 42 | t | | |
| Eastern Grey Squirrel | | | | | | | | | | | | | | | | | | | | 5 | | | |
| Eastern Fox Squirrel | 1 | | | | | 7 | 1 | | | | | 3 | | | | | 5 | | | 134 | | | |
| American Red Squirrel | | | 10 | | 3 | | 2 | | 9 | | 2 | | 2 | 14 | | 10 | | | | | t | | 4 |
| Northern Flying-Squirrel | | | | | | | | | | | | | | | | | | | | | | | |
| Northern Pocket Gopher | | | | | | | | | | | | | | | | | | | d | | | | |
| American Beaver | | | | | | L | | | | | | | 1 | | | | | | | | | | L |
| Deer Mouse | | | 2 | 2 | | | | | | | | | | | | | c | | | | | | t |
| Muskrat | | | | | | | | L | | | | | | | | | L | | L | | | | L |
| Gapper's Red-Backed Vole | | | 1 | | | | | | | | | | | | | | 1 | | | | 6 | | |
| Meadow Vole | | | | | | | | | | | | | | | | | | | | | | | t |
| Vole species | t | | | | | | | 1 | | | | | | | t | t | | | | t | t | | |
| House Mouse | | | | | | | | | | | | | | | | | | | | | 8 | | |
| Mouse species | | | | | | | | t | | | | | | t | t | t | 3 | | | t | | | |
| American Porcupine | | | | | | | | 1 | | | 1 | 1 | | | | | t | 1 | | | t | | |
| Coyote | 2 | 2 | 5 | 7 | | 1 | | 35 | | m | 1 | 2 | t | 1 | 2 | 1 | 3 | 4 | | 2 | 1 | 1 | 5 |
| Gray Wolf | | | t | | | | | | | | | | | | | | | | | | | | |
| Red Fox | | | t | | 1 | | | с | 1 | С | | 1 | | | t | | t | | | t | t | | t |
| Raccoon | | | | | | | | | | | 3 | 5 | | | | t | | | | | t | | |
| American Marten | | | | | | | | | | | | | | | | | | | | | | | |
| Fisher | | | | | | | | | | | | | | | | | | | | | | | |
| Ermine | | | | | | | | | | | 1 | | | | | t | | | | | | | |
| Long-tailed Weasel | | | | | | | | t | | | | | | | t | | | | | | | | |
| Weasel species | | | | | | | | | | | | | | t | | | | | | | t | | |
| American Mink | | | | | | С | | | | | | | | | | | t | | | t | | | |
| American Badger | | | | | | | | d | | | | 1 | | | d | | | | | | d | | |
| Striped Skunk | | | С | | | | | s | | | | 1 | | | m | | С | | S | | s | | |
| River Otter | | | | | | | | | | | | | t | | | | | | | | | | |
| Mountain Lion | | | | | | | | | | | | | _ | | | | | | | | | | |
| Canada Lynx | | | | | | | | | | | | | | | | | | | | | | | |
| Mule Deer | 15 | 5 | | | | 1 | | 15 | | | | 18 | | 2 | 14 | t | 3 | 43 | | 8 | 6 | | 3 |
| White-tailed Deer | 2 | 6 | 34 | 12 | 3 | • | | 39 | 10 | С | t | 14 | 7 | 6 | 12 | t | 11 | 3 | 5 | 3 | 10 | | t |
| Deer species | t | | J-1 | 12 | | | | 33 | | | | 1-7 | , | t | 12 | t | | , | | , | t | | |
| Moose | | | | | | | | | | | | 2 | t | t | | · | 1 | 1 | 1 | | 4 | 3 | 1 |
| Elk | | | t | | | | | | | | | 2 | · | ı | | | ' | ' | | | 4 | J | ' |
| Pronghorn | | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| American Bison | 22 | 40 | F2 | 22 | - | | | 0.1 | 20 | | | ΕO | 40 | 22 | 20 | 44 | 20 | | C | 404 | 25 | | 43 |
| TOTAL SPECIES SEEN/HEARD | 22 | 18 | 52 | 22 | 7 | 9 | 3 | 94 | 20 | 0 | 8 | 50 | 10 | 23 | 28 | 11 | 30 | 55 | 6 | 194 | 35 | 4 | 13 |
| TOTAL SPECIES SEEN/HEARD | 5 | 6 | 5 | 4 | 3 | 3 | 2 | 6 | 3 | 0 | 5 | 11 | 3 | 4 | 3 | 2 | 9 | 6 | 2 | 6 | 6 | 2 | 4 |
| TOTAL SPECIES RECORDED BY TRACKS | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 4 | 6 | 5 | 9 | 5 | 0 | 1 | 5 | 9 | 0 | 5 |
| TOTAL SPECIES OTHERWISE RECORDED | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 3 | 0 | 2 | 0 | 2 |
| SPECIES RECORDED COUNT PERIOD | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL SPECIES COUNT PERIOD AND DAY | 6 | 6 | 11 | 4 | 3 | 5 | 2 | 11 | 3 | 3 | 6 | 11 | 7 | 9 | 10 | 9 | 16 | 6 | 6 | 10 | 15 | 2 | 11 |

Table 1.4. 43rd Saskatchewan Christmas Mammal Count - 2015.

| SPECIES | ASK. LANDING P.P., JAN 2016 SASK. | RIVER FORKS, 3 JAN 2016 | SASKATOON, 26 DEC 2015 | SAWYER LAKE, 26 DEC 2015 | SHAMROCK, 28 DEC 2015 | SNOWDEN, 4 JAN 2016 | SPINNEY HILL, 21 DEC 2015 | SQUAW RAPIDS, 31DEC 2015 | SWIFT CURRENT, 19 DEC 2015 | THICKWOOD HILLS, 18 DEC 2015 | TOGO, 5 JAN 2016 | WEYBURN, 19 DEC 2015 | WHITE BEAR, 31 DEC 2015 | WHITEWOOD, 28 DEC 2015 | WINGARD, 4 JAN 2016 | YORKTON, 29 DEC 2015 | # INDIVIDUALS SEEN/ HEARD COUNT DAY | # COUNTS SEEN/HEARD | # COUNTS RECORDED AS TRACKS | # COUNTS RECORDED AS OTHER | # COUNTS, COUNT PERIOD | # COUNTS, COUNT PERIOD & COUNT DAY | HIGH COUNT |
|---------------------------------------|--------------------------------------|----------------------------|---------------------------|-----------------------------|--------------------------|------------------------|------------------------------|-----------------------------|-------------------------------|---------------------------------|---------------------|-------------------------|----------------------------|---------------------------|------------------------|-------------------------|--|------------------------|--------------------------------|-------------------------------|---------------------------|---------------------------------------|------------|
| | χ ₄ | - ∞ | | | 25 % | <u>2</u> 4 | 2.5 | ν. Ε | R 51 | ≠≈ | 2 | > ₹1 | ×κ | % % | ≥4 | 7 % | | | | | | | |
| Shrew species | | | t | t | | | | | | | | | | | | | 1 | 1 | 5 | 0 | 1 | 7 | 1 |
| Nuttall's Cottontail | 1 | | | | | | | | t | | - | | 1 | | | | 10 | 6 | 7 | 0 | 0 | 13 | 3 |
| Snowshoe Hare | | | 1 | С | | | | t | | t | 5 | | | 4 | | t | 13 | 8 | 28 | 0 | 1 | 37 | 4 |
| White-tailed Jack Rabbit | 1 | | 1 | | t | | | | t | | | 1 | t | t | | | 64 | 13 | 21 | 0 | 2 | 36 | 42 |
| Eastern Grey Squirrel | | | | | | | | | 40 | | | | | | | 1 | 59 | 5 | 0 | 0 | 0 | 5 | 40 |
| Eastern Fox Squirrel | | | _ | | | | | | | | _ | 14 | | 8 | _ | 2 | 205 | 14 | 1 | 0 | 1 | 16 | 134 |
| American Red Squirrel | | 6 | 6 | С | | 9 | 6 | 9 | | 2 | 4 | | | 4 | 1 | | 161 | 37 | 3 | 0 | 1 | 41 | 14 |
| Northern Flying-Squirrel | | | | С | | | | | | | 3 | | | | | | 6 | 2 | 0 | 0 | 2 | 4 | 5 |
| Northern Pocket Gopher | | | | | | | | | | | | | | d | | | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| American Beaver | | | | | | | | | С | L | | | | L | | | 2 | 2 | 0 | 16 | 1 | 19 | 1 |
| Deer Mouse | | | t | | | | | | | | | | | | | | 4 | 2 | 6 | 0 | 2 | 10 | 2 |
| Muskrat | L | L | | | | | | | | | | | | L | | | 2 | 2 | 0 | 24 | 0 | 26 | 1 |
| Gapper's Red-Backed Vole | | | | | | | | | | | | | | | | | 9 | 4 | 0 | 0 | 0 | 4 | 6 |
| Meadow Vole | | | | | | t | | | | | | | | t | | | 2 | 1 | 2 | 0 | 0 | 3 | 2 |
| Vole species | t | | t | t | | | t | t | | t | | | | | | | 1 | 1 | 22 | 0 | 0 | 23 | 1 |
| House Mouse | | | | | | t | | | | | | | | | | | 8 | 1 | 1 | 0 | 0 | 2 | 8 |
| Mouse species | | | 1 | t | | | | | | | | | t | | | | 4 | 2 | 16 | 0 | 0 | 18 | 3 |
| American Porcupine | t | | | | | | 1 | | | | | | | | | | 11 | 10 | 9 | 0 | 1 | 20 | 2 |
| Coyote | t | 2 | 3 | t | 6 | | | t | 4 | t | t | 1 | 5 | t | | 2 | 149 | 48 | 15 | 1 | 3 | 67 | 35 |
| Gray Wolf | | | | t | | | | | | | t | | | | | | 0 | 0 | 6 | 0 | 1 | 7 | 0 |
| Red Fox | t | | | | 2 | | | | 2 | t | 3 | | 2 | t | 1 | | 15 | 9 | 17 | 0 | 6 | 32 | 5 |
| Raccoon | | | | | | | | | | | | | | | | | 8 | 2 | 5 | 0 | 1 | 8 | 5 |
| American Marten | | | | | | | | | | | 1 | | | | | | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| Fisher | | | | t | | | | | | | | | | | | | 0 | 0 | 3 | 0 | 0 | 3 | 0 |
| Ermine | | | | t | | | | | | | 1 | | | | | | 3 | 3 | 7 | 0 | 0 | 10 | 1 |
| Long-tailed Weasel | | | | | | | | | | | | | | t | | | 2 | 2 | 5 | 0 | 1 | 8 | 1 |
| Weasel species | | | 1 | | | | | | | | | | t | | | | 1 | 1 | 6 | 0 | 1 | 8 | 1 |
| American Mink | | | | t | | | | | 2 | | | | | | | | 5 | 4 | 8 | 0 | 1 | 13 | 2 |
| American Badger | | | | | d | | | | | | | | | d | | | 1 | 1 | 1 | 5 | 0 | 7 | 1 |
| Striped Skunk | m | | m | | | | | | | | | | | S | | | 1 | 1 | 2 | 10 | 2 | 15 | 1 |
| River Otter | | | | t | | | | t | | | | | | | | | 0 | 0 | 4 | 0 | 0 | 4 | 0 |
| Mountain Lion | | | | | | | | | | | | | | | | | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| Canada Lynx | | | | | | | | | | | | | | | | | 0 | 0 | 2 | 0 | 1 | 3 | 0 |
| Mule Deer | 37 | | | | 54 | | t | | 6 | | С | | 13 | | | | 490 | 28 | 4 | 0 | 1 | 33 | 57 |
| White-tailed Deer | 50 | 2 | 7 | с | 2 | 3 | t | 3 | 11 | 3 | 22 | | 12 | 7 | | t | 758 | 56 | 11 | 0 | 2 | 69 | 123 |
| Deer species | | | t | | t | | | t | | | | | | | | | 0 | 0 | 11 | 0 | 0 | 11 | 0 |
| Moose | t | | | с | | | | | | | t | | | t | | | 37 | 16 | 10 | 0 | 3 | 29 | 8 |
| Elk | | t | | t | | | | | | | 8 | | | 3 | 3 | | 8 | 1 | 7 | 0 | 1 | 9 | 8 |
| Pronghorn | 19 | | | | | | | | 15 | | | | 62 | | | | 223 | 6 | 0 | 0 | 1 | 7 | 105 |
| American Bison | | | | | | | | | | | | | | | | | 1 | 1 | 0 | 0 | 0 | 1 | 1 |
| TOTALS SEEN/HEARD ON COUNT DAY | 108 | 10 | 20 | 0 | 64 | 12 | 7 | 12 | 80 | 5 | 47 | 16 | 95 | 26 | 5 | 5 | 2458 | | | | | | |
| TOTAL SPECIES SEEN/HEARD | 5 | 3 | 7 | 0 | 4 | 2 | 2 | 2 | 7 | 2 | 8 | 3 | 6 | 5 | 3 | 3 | | 32 | | | | | |
| TOTAL SPECIES RECORDED BY TRACKS | 5 | 1 | 4 | 10 | 2 | 2 | 3 | 5 | 2 | 4 | 3 | 0 | 3 | 6 | 0 | 3 | | | 27 | | | | |
| TOTAL SPECIES OTHERWISE RECORDED | 2 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 0 | 0 | | | | 6 | | | |
| SPECIES RECORDED COUNT PERIOD | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | | | | | 23 | | |
| TOTAL SPECIES COUNT PERIOD AND DAY | 12 | 5 | 10 | 14 | 6 | 4 | 5 | 6 | 10 | 7 | 13 | 3 | 9 | 16 | 3 | 6 | | | | | | 36 | |